ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

O.M.S. No. 3067-0077 Expires July 31, 1999

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR). You are not required to respond to this collection of information unless a valid OMB control number is displayed in the upper right corner of this form.

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY US
Building Owners NAME Western Personnel Placements, Inc., a Colorado Corporation					POLICY NUMBER
STREET ADDRESS (Including A	the Einst Suite und/or Bade All	umberi CB BC	OLAGO COPPORATION		
STREET ACCRESS (Including Apt., Unit, Suite und/or Bidg, Number) OR RO. ROUTE AND BOX NUMBER 335 Manitou Avenue					COMPANY NAIC NUMBER
Lot 1, D.E. Carper	Book Numbers.etc.) nter Subdivisior	1			
Manitou Springs				STATE:	ZIP CODE 80829
	SECTION B FLO	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	
Provide the following from t	the proper FIRM (See In	nstructions):			
: COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	e. BASE PLOOD SLEVATION (in AO Zones, use depth)
080063 -0001 C	Printed Open	F	3/17/97 aug. 19, 1991	AE	6254.5
7. Indicate the elevation day	turn system used on the	FIRM for Ba	ise Flood Elevations (BFE	9: NGVD '29	Other (deacribe on bu
8 For Zones A or V, where	no here is provided on	Me FIRM, an	d the community has esta FIRM deturn-see Section	biished a BFE for	r this building site, indicat
the contributed a Dr.E. L.					
	SECTION	C BUILDH	NG ELEVATION INFORM	ATION	,
(c). FiRM Zone A (without	s at an elevation of 🔔	is the referen	feet NGVD (or other FIR) ce level from the selected	M datum-see Sec	tion B. Item 7).
(d). FIRM Zone AO. The fi one) the highest grade	oor used as the referen	nce level from). If no flood	the selected diagram is depth number is available	. is the building's	lowest floor (reference
Indicate the elevation detunder Comments on Page the FIRM [see Section E	um system used in dete e 2). <i>(NOTE: If the ele</i>	rmining the a	USEC in measuring the ele	ations. 🔯 NGVD	129 Other (describe
equation under Comment	s on Page 2.)	n o diakithiri r	s to the ожили зу вани цва	eo on me FIRM ar	na snow the conversion
 Elevation reference mark 					
 The reference level elevat (NOTE: Use of constructi case this certificate will on will be required once const 	on drawings is only vali ly be valid for the buildi	id if the buildi	no does not yet have the i	reference level fix	or in place, in which n Elevation Certificate
 The elevation of the lowest Section B, Item 7). 	t grada immediately ad	jacent to the	building is:16 25 4 .	Ži feet NGVD (or	other FIRM datum-see
	SECT	TOND CO	MUNITY INFORMATION	1	
If the community official re is not the "lowest floor" as floor" as defined by the ord Date of the start of constru	defined in the communi	ity's floodplai	n management ordinance	, the elevation of t	the huilding's "Inwest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE), V1–V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway walt, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME					
DAVID V. HOSTETLER	LICENSE NUMBER (or Affix Seal)				
TITLE	COLOTAGO Professional:	Land Surveyor No. 20681			
Director of Surveying	IDC, Inc.				
3520 Austin Bluffs Pkwy	Colorado Springs,	STATE 80918 ZIF			
SIGNATURE WILL VANCE	July 22,1997 DATE	PHONE (919) 528-6123			
Copies should be made of this Certificate for	1) community official 2) insurance accent				
COMMENTS: See attached, IMPROVE		TAND REGIO			
		W 103/			
		SA MILLEN			
	1 -9 2	20881			
		1000 X			
4114	178.	The state of the s			
	738				



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.